







INSTRUCTIONS

HOW TO BUILD WITH CAPPING PIECES




Follow the QUICKBLOCK instructions when building ensuring all blocks are locked firmly in place.


Use hard hats, eye protection, and appropriate footwear during construction.




Be aware of fingertraps when opening and closing the blocks, we recommend users wear gloves when building with QUICKBLOCK.



Do not construct above 12 blocks in height without advice from qualified personnel.




For long walls, strengthen with right angles buttressing (at 2m intervals) or integrate rooms / corners to provide stability.



Do not climb or place heavy loads on QUICKBLOCK walls unless rated for it.


Where possible, construct on level and stable ground.




Avoid using blocks in ways not intended by the manufacturer. For more info, see the instruction manual.




OPEN



CLICK



BUILD



Opening blocks with excess force may result in blocks becoming damaged. It is recommended that blocks are opened with two hands and moderate force. QUICKBLOCK does not accept responsibility for blocks that are broken due to user error.



CAPPING PIECES

Adding a clean, flush finish to the top of a QUICKBLOCK structure goes hand-in-hand with increased strength and rigidity, through the integration of Capping Pieces.

Capping pieces are sold in Full-Block lengths only, but can be easily 'snapped' to create two Half-Block length Capping Pieces, as explained in these instructions.



STEP 1



As with the rest of your QUICKBLOCK structure, placement of **Capping Pieces** follows the basic bricklaying pattern*. Full-Block length capping pieces should overlap two adjacent blocks evenly.

STEP 2



Where necessary, Half-Block length **Capping Pieces** may be needed.

The **Capping Piece** is designed to 'snap' easily at its midpoint. Grab the ends, and bring the centre down on your knee in a swift motion.

If not fully separated at this point, flip the **Capping Piece** over and repeat.

STEP 3



Place Half-Block length **Capping Pieces** at the ends of walls to create a clean, flush finish.

*Not sure about the bricklaying pattern mentioned here? Check out the dedicated Build Pattern instruction manual and video.



